

# Garrett

ADVANCING MOTION

## GXRACE



**WHEN XTREME POWER MEETS  
XTREME PERFORMANCE**

---

GXR55 88MM, 91MM, 94MM, 98MM

GXR57 88MM, 94MM, 98MM



# WHEN XTREME POWER MEETS XTREME PERFORMANCE

## GARRETT G-XRACE TURBOCHARGERS

Winners aren't born - they are built. Reputations are forged through skill, speed and consistency. Racers push their skills, their cars, and their turbos to extreme limits. When the stakes are high, only the best turbo will take you to the finish line. Garrett G-XRace is built for those who know that winning comes from being the quickest, pass after pass, race after race.

### PRODUCT FEATURES:

- XBoost Technology increases power and performance
    - **+40%** compressor flow (GXR55/57-88 compared to G55-1950)
    - Improved pressure ratio capability enables higher boost pressure
    - Increased efficiency at high flow rates provides cooler, denser air to boost power capability
  - One-piece aluminum center housing and backplate to reduce weight
  - Flange-style speed sensor port for easy installation and turbo speed monitoring for optimal performance and turbo life
  - For use in drag race classes, and classes with compressor inducer rules
- \*Please verify class rules before purchasing



### TURBOCHARGER REFERENCE DATA:

#### GXR55 DISPLACEMENT 3.0L - 12.0L



Supercore PN	Model	Turbo Reference	Horsepower Rating	Comp Inducer	Comp Exducer	Turbine Inducer	Turbine Exducer
934174-5004S	GXR55-88	8806	2500	88.9mm	149mm	112mm	106mm
934174-5011S	GXR55-91	9106	2600	91.9mm			
934174-5012S	GXR55-94	9406	2700	94.9mm			
934174-5014S	GXR55-98	9806	2800	98.9mm			
Turbine Kit PN	A/R	Inlet	Outlet	Wastegate	Divided		
761208-0069	1.24	V-Band	V-Band	External	N		
761208-0070	1.40	V-Band	V-Band	External	N		
761208-0071	1.00	T6	V-Band	External	N		
761208-0072	1.12	T6	V-Band	External	N		
761208-0073	1.24	T6	V-Band	External	N		
761208-0074	1.40	T6	V-Band	External	N		

#### GXR57 DISPLACEMENT 3.0L - 12.0L


Supercore PN	Model	Turbo Reference	Horsepower Rating	Comp Inducer	Comp Exducer	Turbine Inducer	Turbine Exducer
934174-5009S	GXR57-88	8812	2600	88.9mm	149mm	118mm	112mm
934174-5013S	GXR57-94	9112	2700	94.9mm			
934174-5006S	GXR57-98	9812	2900	98.9mm			
Turbine Kit PN	A/R	Inlet	Outlet	Wastegate	Divided		
761208-0083	1.09	V-Band	V-Band	External	N		
761208-0084	1.25	V-Band	V-Band	External	N		
761208-0085	1.41	V-Band	V-Band	External	N		

# GARRETT G-XRACE TURBOCHARGERS - COMPRESSOR MAPS

Backed by over 70 years of engineering and innovation, G-XRace turbochargers are engineered by a global team of 1300 engineers across five R&D centers for extreme durability and extreme performance.




GXR55-88 | GXR57-88





GXR55-91






GXR55-94 | GXR57-94



GXR55-98 | GXR57-98



**WARNING:** The use of this product above max turbocharger speed is at the owner's risk, and can result in damage and premature failure. To protect the turbocharger from overspeed when operating, a speed sensor port is machined into the compressor housing for the fitment of speed sensor part numbers 781328-0003 (includes sensor and gauge), 781328-0004 (includes speed sensor), or [G-Smart Bluetooth Module with sensor \(PN 923586-0003\)](#). Sensor Kits sold separately.

\* Performance results of this product are highly dependent upon your vehicle's modifications and tuning/calibration. The horsepower numbers represented above are calculated based strictly on choke flow of the compressor map (total turbo capability), which represents the potential flywheel horsepower.